

ltem#:	178Z2R4NWMS		Project:	
Otv:		Date:		Approval:

Avantco Z2-R4-NWMS 54" VersaHub WiFi-Enabled Solid Half Door Stainless Steel Reach-In Refrigerator with 4 Bottom Drawers

Item#178Z2R4NWMS







Technical Data

Width	54 Inches	
Depth	32 3/16 Inches	
Height	81 11/16 Inches	
Interior Width	49 3/8 Inches	
Interior Depth	27 1/8 Inches	
Interior Height	56 11/16 Inches	
Amps	4.2 Amps	
Hertz	60 Hz	
Phase	1 Phase	
Voltage	115 Volts	

Features

- VersaHub platform monitors unit failure, open doors, and temperature via text/email notifications
- Corrosion-resistant stainless steel interior and exterior
- Full-size food pan slides hold 33% more weight than standard shelf clips
- Rear air duct for exceptional circulation
- R-290 refrigerant; 115V; 1/2 hp

Certifications



Energy Star Qualified







Technical Data

456 Watts	
Doors	
43.93 cu. ft.	
120 lb.	
With Casters	
Silver	
Top Mounted	
All Stainless Steel	
Swing	
Solid	
With Dutch Half Doors	
Automatic Electric Defrost Digital Display Electronic Controller Energy Star Qualified Removable Magnetic Door Gaskets Removable Magnetic Drawer Gaskets Self-Closing Doors VersaHub Compatible WiFi Enabled	
1/2 hp	
Freestanding	
1 Compressor	
2 Doors	
2 Doors	
2 Doors 4 Drawers	
4 Drawers	
4 Drawers 4 Shelves	
4 Drawers 4 Shelves 4	
4 Drawers 4 Shelves 4 NEMA 5-15P	
4 Drawers 4 Shelves 4 NEMA 5-15P R-290	
4 Drawers 4 Shelves 4 NEMA 5-15P R-290 2 Sections	
4 Drawers 4 Shelves 4 NEMA 5-15P R-290 2 Sections 12.6 Amps	
4 Drawers 4 Shelves 4 NEMA 5-15P R-290 2 Sections 12.6 Amps 1368 Watts	

Notes & Details

Your establishment relies on refrigeration for proper food safety, and with this Avantco Z2-R4-NWMS 54" VersaHub WiFi-Enabled solid half door stainless steel reach-in refrigerator with 4 bottom drawers, you receive performance you can depend on! A corrosion-resistant, all-stainless steel interior and exterior construction provides increased durability and a sleek appearance. This model uses the VersaHub platform to provide live notifications, history, and other WiFi-enabled updates. The two self-closing and stay-open locking solid doors give your staff the ability to more quickly and easily load your refrigerator when you get a delivery, while the drawers offers easy inventory access. Plus, a door open alarm alerts users to when the doors have been open for too long to keep your inventory safe and fresh.

This model features 4 plastic-coated steel shelves that fit in the refrigerator's pan slides. These slides fit full-size food pans (sold separately) and hold 33% more weight than shelf clips to make loading and unloading a breeze! The full-length U-shaped door handles further expedite the loading process. Since this model has half doors, you're able to keep other food cold if you're only opening half of the refrigerated space at a time. Thanks to the rear air duct, this model has exceptional air circulation. Included casters allow users to easily move and clean under the unit.

Designed to maintain temperatures from 33-40 degrees Fahrenheit, this refrigerator boasts a top-mounted 1/2 hp compressor that uses R-290 refrigerant. This specialized refrigerant has an ozone depletion potential (ODP) of 0 and a global warming potential (GWP) of 3. In addition, the top-mounted compressor is further from the floor than on a bottom-mounted unit; meaning it'll get less dirty and won't be accidentally kicked. For optimal temperature retention, the entire cabinet is foamed-in place using polyurethane insulation. Other helpful features include the state-of-the-art Carel iJ controller, automatic defrosting, and digital temperature control with digital display. This item requires a 115V electrical connection for operation.



▲ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.