




HP 81X High Yield Black Original LaserJet Toner Cartridge (CF281X)



Overview

HP 81X LaserJet Toner Cartridge, black, 25,000 pages[4]

Exceptionally reliable Original HP LaserJet toner cartridges that achieve outstanding printing results, help businesses look their best with professional-quality documents, conserve resources, and save time by increasing efficiency in the office.

Dependable, high-quality printing

Rely on Original HP black toner for crisp text, sharp graphics, and impressive business documents.

Help save time and money

Produce up to 25,000 pages with Original HP high-yield LaserJet toner cartridges.[1]

Printing that keeps business moving

Speed up office productivity—enhanced HP toner fuses quickly to documents for fast printing.

Features



Designed to work the first time, every time^[6]



Quality prints you can take pride in



The environmental choice.^[7]



Better together. Better results.



Affordable, reliable, quality printing



Black text and graphics that stand out

[1] Based on HP 81X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>. High-yield cartridges not included; please purchase separately. Value compared with estimated street price and page yield of standard-yield HP 81 toner cartridges. Actual pricing may vary.

[4] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[6] See <http://www.hp.com/go/suppliesclaims>.

[7] HP Planet Partners program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

Color(s) of printing supplies	Black
Print Technology	Laser
Supply type	Cartridges
Operating temperature range	10 to 32.5°C
Storage temperature range	-20 to 40°C
Operating humidity range	20 to 80% RH
Non-Operating Humidity Range	20 to 80% RH
Print Resolution Technologies	Smart
Compatibility	HP LaserJet Enterprise Flow MFP M630z, HP LaserJet Enterprise MFP M630f, HP LaserJet Enterprise MFP M630dn
Product count per unit	1
Quantity per pallet	45
Quantity per European pallet	36
Cartons per pallet	45
UPC number	887758147900
Minimum dimensions (W x D x H)	391 x 193 x 327 mm
Minimum dimensions (W x D x H)	15.39 x 7.6 x 12.87 in
Package dimensions (W x D x H)	391 x 193 x 327 mm
Package dimensions (W x D x H)	15.39 x 7.6 x 12.87 in
Pallet dimensions (W x D x H)	1173 x 965 x 1125 mm
Pallet dimensions	46.2 x 38 x 44.3 in
Package weight	~3.33 kg
Package weight	~7.33 lb
Pallet weight	170.4 kg
Pallet weight	374.7 lb
Page Yield	25000
Page yield (black and white)	~25,000 pages
What's in the box	1 Cartridge
Manufacturer Warranty	HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship.

Additional specifications

Additional information about Eco	http://www.hp.com/go/ecosolutions
Business filter	cMPS
Cartons per layer	15
Cartridge Colors	Black
Compatibility 01	HP LaserJet Enterprise M605, M606, M630, M632
Compatibility 02	HP LaserJet M605, M630
Compatibility headline	HP 81 toner cartridges work with:
Component type	Cartridges
Count of layers in pallet	3
Country of origin	Made in Japan
European pallet dimensions (W x D x H)	1173 x 772 x 1130 mm
Master or single cartons per layer (European pallet)	12
Mono Starter Yield	10500
Mono yield	25000
Operating temperature range	50 to 90.5°F
Package count	1
Page yield (black)	1 Black (~25,000 pages)
Page yield footnote	Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies .
Pallet weight	140.4 kg
Print technology	Laser
Product subgroup	High Capacity Toner Cartridges
Recycled material content	15%
Segment (filter)	Traditional HP Toners
Selectability	81X
Stacking number for carton	12
Storage temperature range	-4 to 104°F
Subgroup	High Capacity Cartridges
UNSPSC code	44103103

Warranty

HP's Premium Protection Warranty. This HP product is warranted to be free from defects in materials and workmanship. This warranty does not apply to print cartridges that (a) have been refilled, refurbished, remanufactured or tampered with in any way, (b) experience problems resulting from misuse, improper storage, or operation outside of the published environmental specifications for the printer product or (c) exhibit wear from ordinary use. To obtain warranty service, please return the product to place of purchase (with a written description of the problem and print samples) or contact HP customer support. At HP's option, HP will either replace products that prove to be defective or refund your purchase price. TO THE EXTENT ALLOWED BY LOCAL LAW, THE ABOVE WARRANTY IS EXCLUSIVE AND NO OTHER WARRANTY OR CONDITION, WHETHER WRITTEN OR ORAL, IS EXPRESSED OR IMPLIED AND HP SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY, SATISFACTORY QUALITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT ALLOWED BY LOCAL LAW, IN NO EVENT WILL HP OR ITS SUPPLIERS BE LIABLE FOR DIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL (INCLUDING LOST PROFIT OR DATA), OR OTHER DAMAGE, WHETHER BASED IN CONTRACT, TORT, OR OTHERWISE. THE WARRANTY TERMS CONTAINED IN THIS STATEMENT, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY AND ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO YOU.

Weight ~5.39 lb**Weight** ~2.45 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 5:15 PM UTC+0000