Cooking Performance Group 24GTCLBNL 24" Gas Griddle and Gas Lava Briquette Charbroiler with 52", 2 Drawer Refrigerated Chef Base - 140,000 **BTU**









Certifications






ETL Sanitation





3/4" Gas Connection



tem #:	35124GTCLBNL	Qty:
roject:		
Approva	1:	Date:

Features

- Includes 24" heavy-duty griddle, 24" lava briquette charbroiler, and 52" refrigerated chef base
- · Continuous pilot for instant ignition
- Easy-to-clean flat griddle with thermostatic controls; charbroiler features reversible cast iron top
- Stainless steel refrigerated base includes electronic temperature control and 2 drawers
- Field convertible to liquid propane; includes orifice for connection

Technical Data

Width	52 Inches
Griddle Width	24 Inches
Base Depth	32 1/8 Inches
Cooking Surface Depth	20 Inches
Top Step Depth	51 7/8 Inches
Base Height	24 1/2 Inches
Amps	4.5 Amps
Phase	1 Phase
Voltage	115 Volts
Wattage	361 Watts

Cooking Performance Group 24GTCLBNL 24" Gas Griddle and Gas Lava Briquette Charbroiler with 52", 2 Drawer Refrigerated Chef Base - 140,000 BTU



Technical Data

Base Power Type	Electric	
Base Style	Refrigerator	
Burner BTU	80000 BTU	
Burner Style	U-Shaped	
Control Type	Manual Thermostatic	
Cooking Surface Material	Steel	
Features	Field-Convertible (Gas)	
Gas Connection Size	3/4 Inches	
Griddle BTU	60000	
Heating Source	Lava Rocks	
Installation Type	Freestanding	
Kit Type	Chef Base / Cooking Equipment	
Number of Burners	4 Burners	
Plate Thickness	3/4 Inch	
Power Type	Natural Gas	
Refrigerant Type	R-290	
Starting Amps	13.5 Amps	
Starting Wattage	1083 Watts	
Temperature Range	200 - 575 Degrees F	
Temperature Settings	Adjustable	
Total BTU	140000 BTU	
Туре	Combinations Lava Rock Charbroilers Thermostatic Griddles	
Usage	Medium Duty	
Weight Capacity	990 lb.	

Cooking Performance Group 24GTCLBNL 24" Gas Griddle and Gas Lava Briquette Charbroiler with 52", 2 Drawer Refrigerated Chef Base - 140,000 BTU



Notes & Details

Delivering superior convenience and versatility, the Cooking Performance Group 24GTCLBNL 24" heavy-duty gas griddle and 24" gas lava briquette charbroiler with 2 drawer refrigerated chef base is a must-have in any commercial kitchen. Easily keep up with customer demands for anything from burgers, chicken, and steaks to eggs, bacon, and pancakes with this lava briquette charbroiler, heavy-duty griddle, and refrigerated chef base! This convenient equipment combination is great for any kitchen that wants to streamline their food prep process, providing refrigerated storage space, a charbroiler and 3/4" griddle for cooking, and a place for both the charbroiler and griddle to sit. You can keep a variety of ingredients in the chef base, pull them out for an order, and cook it all within the same workspace!

Boasting two powerful 40,000 BTU stainless steel U-shaped burners to heat your included lava briquettes, the charbroiler evenly distributes the heat toward your food while catching the drippings to create that unmistakably smoky "outdoor barbecue" scent and flavor. With two 30,000 BTU U-shaped burners, the griddle's flat cooking surface features an impressive 20" depth that is sure to deliver all of the work space needed. Plus, the polished steel construction is both durable and easy to clean, and it includes thermostatic controls that allow you to precisely adjust your cooking temperature anywhere within its 200 to 575 degrees Fahrenheit range.

Not only do you receive the charbroiler and griddle, but you get a 2 drawer refrigerated base to place them on as well! This particular chef base features a durable 1 3/4" stainless steel top that can hold up to 990 lb. and is equipped with a marine edge to contain drips and spills for easy cleanup. For maximum capacity, each drawer can hold up to 3 full size food pans (sold separately) or a combination of other configurations. The 1/6 hp refrigeration system circulates R290 refrigerant and is easily operated by its electronic temperature control, which allows you to set the unit to hold prepared foods and ingredients at temperatures between 33 and 40 degrees Fahrenheit. Plus, the cabinet is made of type 430 stainless steel inside and out for durability, and for greater ease of cleaning, it rests on (4) 4" casters so that you can move it away from the wall. This refrigerated chef base requires a 115V electrical connection for operation. This unit has a 3/4" rear gas connection and ships ready to connect to a natural gas supply, but can be field converted to liquid propane.

△ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.