
35172GMRBNL

Cooking Performance Group 72GMRBNL 72" Gas Countertop Griddle with Manual Controls and 72", 4 Drawer Refrigerated Chef Base - 180,000 BTU








Certifications

ـ ("I") **ETL Sanitation** 5-15P





(Gas)

🚇 ETL, US & Canada

Item #: <u>35172GMRBNL</u>	Qty:	· · · · ·
Project:		
Approval:	Date:	

Features

- 6 independently-controlled 30,000 BTU burners with standing pilots for instant ignition
- Features 3/4" thick steel plate with back and side splashes to protect surrounding area
- Made of durable stainless steel; heavy-duty, adjustable feet provide . stability
- 4 drawer, heavy-duty refrigerated chef base offers ample storage
- Field convertible to liquid propane; includes orifice for connection

Technical Data

Width	72 3/8 Inches
Depth	32 1/8 Inches
Height	42 5/8 Inches
Base Width	72 3/8 Inches
Cooking Surface Width	72 Inches
Interior Width	60 5/8 Inches
Nominal Width	72 Inches
Cooking Surface Depth	20 Inches
Interior Depth	27 1/2 Inches
Base Height	58 7/8 Inches

35172GMRBNL

Cooking Performance Group 72GMRBNL 72" Gas Countertop Griddle with Manual Controls and 72", 4 Drawer Refrigerated Chef Base - 180,000 BTU



Technical Data

Amps6.5 AmpsHertz60 HzPhase10 HaseVoltage11 SoltsWatage487 WattsAccess TypeDrawersBacksplashWith BacksplashBase StyleRefrigeratorBase StyleS000 BTUCapacity5000 BTUControl TypeStailless SteelControl TypeStailless SteelControl TypeSteel SteelHorsepower2/5 hpInstallation TypeSurersNumber of BurnersSurersNumber of DrawersSurersNumber of DrawersSurersStarting MapsSurersStarting MapsSurersStarti		
Hertz60 HzPhase1 PhaseVoltage1 S VoltsVoltage437 WattsAccess TypeDrawersBacksplashWith BacksplashBase Sover TypeElectricBase StyleRefrigeratorBase StyleSide MountedCompresor LocationSide MountedControl TypeManualControl TypeManualCotorin TypeSteleNumber of Burners2/5 hpInstallation TypeSteleNumber of Burners60 controlsNumber of Burners6 ControlsNumber of Burners6 ControlsNumber of Burners6 ControlsNumber of Burners6 ControlsNumber of Drawers3/4 InchNumber of Burners19.5 AmpsStarting Maps19.5 AmpsStarting Maps19.5 AmpsStarting Maps19.5 AmpsStarting Marge36.40 Degres FTop StyleMaine EdgeTop StyleMaine DutyUsageMaine DutyUsageMaine Duty	Interior Height	16 1/2 Inches
Phase1 PhaseVoltage115 VoltsVoltage115 VoltsWattage487 WattsAccess TypeDrawersBackplashWith BacksplashBase Power TypeElectricBase StyleRefrigeratorBurner BTU3000 BTUCapacity16 cu. ft.Compressor LocationStainless SteelConstructionStainless SteelCondrig Surface MaterialPolished SteelNumber of Surgers275 phInstallation TypeCoff Base / Cooking EquipmentNumber of Controls6 BurnersNumber of Controls6 BurnersNumber of Controls6 ControlsNumber of Controls34 InchPower TypeNatural GasPater Tickness34 InchPower TypeNatural GasRefrigerant TypeRefrigerator BTUStarting Mutage19.5 AmpsStarting Mutage19.5 AmpsTops Pater Bitting Amps34.0 Degrees FTops Pater Bitting Amps18000 BTUTypeGindellsTops Pater Bitting AmpsGindlessTops Pater B		
Voltage115 VoltsWattage487 WattsAccess TypeDrawersBacksplashWith BacksplashBase Power TypeElectricBase StyleRefrigeratorBase StyleRefrigeratorBurne BTU3000 BTUCapacityGountedCompressor LocationSide MountedControl TypeManualControl TypeMountedCoking Surface MaterialSickel SteelHorsepower2/5 hpInstallation TypeChef Base / Cooking EquipmentNumber of BurnersGourtel Scowing EquipmentNumber of Drawers3/4 InchPower TypeNatural GasPatricine TypeNatural GasRefrigerant TypeRefrigerant TypeStarting Amps3/4 Nogeres FStarting Marge16100 BTUType Forgeration31 40 Degrees FTotal BTUSano BTUType Super Starting MargeGionol BTUType Super Starting MargeGionol BTUType Super Starting MargeGionol BTUType Starting MargeGionol BTUType Super Starting MargeGionol BTUType Starting MargeGird BTU <tr< td=""><td></td><td></td></tr<>		
Watage487 WatsAccess TypeDrawersBacksplashWith BacksplashBase StyleRefrigeratorBase StyleRefrigeratorBurner BTU3000 BTUCapacityI6 cu. ft.Compressor LocationStainless SteelConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished SteelSteelSteelHorsepowerPreestandingInstallation TypeFreestandingNumber of Burners6 BurnersNumber of Drawers4 DrawersNumber of Drawers3/4 InchPower TypeRefrigerator BTUStarting Rapp19.5 AmpsStarting Rapp19.5 AmpsStarting Mattage19.5 AmpsStarting Mattage19.5 AmpsTop StyleManual Cuelles FTop StyleManue EdgeTop StyleGriddingTop StyleGridding Surface Starting Surface Starting Surface Starting Surface Starting Surface Starting Surface Starting Start		
Acces TypeDrawersBacksplashWith BacksplashBase Power TypeElectricBase StyleRefrigeratorBase StyleRefrigeratorBurner BTU30000 BTUCapacity16 cu. ft.Compressor LocationStainless SteelControl TypeManualControl TypeOlished SteelControl Type2/5 hpInstallation TypeStainless SteelNumber of BurnersStainless SteelNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers3/4 InchPlate Thickness3/4 InchPlate Thickness3/4 InchRefrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Mattage19.5 AmpsTop Style19.5 AmpsTop Style16.0 Degrees FTop Style180000 BTUUsageGiddesUsageMation Duty		115 Volts
BacksplashWith BacksplashBase Power TypeElectricBase StyleRefrigeratorBurner BTU3000 BTUCapacity16 c.r. ft.Compressor LocationStainless SteelControl TypeManualControl TypeOblished SteelControl Type2/5 hpHorsepower2/5 hpInstallation TypeControlsNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers3/4 InchPower TypeNatural GasRefrigerant Type948 TURefrigerant Strug974 BTUStarting Wattage19.5 AmpsStarting Wattage19.5 AmpsTop Style33.40 Degrees FTop Style180000 BTUType180000 BTUStarting Wattage180000 BTUTop StyleGirddlesTop StyleGirddlesUsageMaine EdgeUsageMaine EdgeUsageGirddlesUsageStarting DuryStarting Wattage180000 BTUTop StyleGirddlesTop StyleGirddlesUsageStarting DuryUsageStarting DuryStarting Wattage180000 BTUStarting Wattage18	Wattage	487 Watts
Base Power TypeElectricBase StyleRefrigeratorBurner BTU30000 BTUCapacity16 cu. ft.Compressor LocationSide MountedConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished Steel SteelInstallation TypePrestandingHorsepower2/5 hpInstallation TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers9/4 InchPlate Thickness9/4 InchPower TypeNatural GasRefrigerator BTU9/4 BTUStarting Amps19.5 AmpsStarting Matga1461 WattsTemperature Range - Refrigerator33.40 Degrees FTop StyleMarine EdgeTop StyleGriddlesUsageGriddlesUsageMation Duty	Access Type	Drawers
Base StyleRefrigeratorBurner BTU30000 BTUCapacity16 cu. ft.Compressor LocationSide MountedConstructionStailess SteelControl TypeManualCooking Surface MaterialPolished SteelHorsepower2/5 hpHorsepowerPreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Drawers6 ControlsNumber of Drawers4 DrawersPlate Thickness9/4 InchPower TypeNatural GasRefrigerator BTU9/4 BTUStarting Amps19.5 AmpsStarting Matge1461 WattsTop StyleMarine EdgeTop StyleMarine EdgeTop StyleGriddlesUsageGriddlesUsageGriddlesUsageMation Duty	Backsplash	With Backsplash
Burner BTU30000 BTUCapacity16 cu. ft.Compressor LocationSide MountedConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished SteelBottom TypeSteelHorsepower2/5 hpInstallation TypeFreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU19.5 AmpsStarting Amps19.5 AmpsStarting Mattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleIa80000 BTUTypeGriddlesUsageMarine EdgeUsageMarine EdgeStarting Attage180000 BTUStarting Attage180000 BTUStartine Range - Refrigerator33 - 40 Degrees FStartine Range - Refrigerator180000 BTUTypeStartine EdgeStartine Edge	Base Power Type	Electric
Capacity16 cu ft.Compressor LocationSide MountedConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished Steel SteelHorsepower2/5 hpInstallation TypeChef Base / Cooking EquipmentKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Drawers6 ControlsNumber of Drawers3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU9.5 AmpsStarting Amps19.5 AmpsStarting Wattage3.4 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeSidou BTUTypeGriddesUsageMarine EdgeManne EdgeMarine EdgeStarting WattageStarting WattageTotal BTUMarine EdgeTotal BTUStarting MarkenStarting WattageMarine EdgeTotal BTUMarine EdgeTotal BTUGriddesStarting WattageStarting WattageTotal BTUMarine EdgeTotal BTUStarting MarkenStarting WattageStarting WattageSta	Base Style	Refrigerator
Compressor LocationSide MountedConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished Steel SteelHorsepower2/5 hpInstallation TypeCooking EquipmentKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage34 40 Degrees FTops SyleMarine EdgeTotal BTU180000 BTUTypeGriddes	Burner BTU	30000 BTU
ConstructionStainless SteelControl TypeManualCooking Surface MaterialPolished Steel SteelHorsepower2/5 hpInstallation TypeFreestandingNumber of BurnersChef Base / Cooking EquipmentNumber of Burners6 GontrolsNumber of Drawers6 ControlsNumber of Drawers3/4 InchPlate Thickness9/4 BTURefrigerant Type8.290Refrigerant Strutg19.5 AmpsStarting Amps19.5 AmpsStarting Mattage1461 WattsTop StyleMarine EdgeTotal BTU18000 BTUTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeGindlessTypeMarine EdgeTypeGindlessTypeGindlessTypeMarine TypeTypeSterling MaterialTypeSterling MaterialTyp	Capacity	16 cu. ft.
Control TypeManualCooking Surface MaterialPolished Steel SteelHorsepower2/5 hpInstallation TypeFreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant Type8-290Starting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTotal BTUIso000 BTUTypeGriddlesUsageMariue EdgeUsageMedium Duty	Compressor Location	Side Mounted
Cooking Surface MaterialPolished Steel SteelHorsepower2/5 hpInstallation TypeFreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers6 ControlsNumber of Drawers3/4 InchPlate Thickness3/4 InchPower TypeNatural GasRefrigerant Type974 BTUStarting Amps19.5 AmpsStarting Mattage19.5 AmpsTemperature Range - Refrigerator33.40 Degrees FTop StyleMarine EdgeTotal BTU180000 BTUTypeGirddlesTypeGirddlesTypeGirddlesTypeGirddlesHongeMarine EdgeTypeGirddlesTypeMarine EdgeTypeMarine Marken EdgeTypeGirddlesTypeMarine Marken EdgeTypeMarken Edge </td <td>Construction</td> <td>Stainless Steel</td>	Construction	Stainless Steel
Cooking Surface MaterialSteelHorsepower2/5 hpInstallation TypeFreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant Type974 BTUStarting Amps19.5 AmpsStarting Wattage33 - 40 Degrees FTop StyleMarine EdgeTotal BTU180000 BTUType180000 BTUTypeGriddlesHorse Starting Starting Amps180000 BTUStarting Amps180000 BTUTotal BTUGriddlesTotal BTUGriddlesTypeMedium Duty	Control Type	Manual
Installation TypeFreestandingKit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant Type974 BTUStarting Amps974 BTUStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTotal BTU180000 BTUType180000 BTUStarting Amps180000 BTUStarting Amps180000 BTUTotal BTU180000 BTUTypeGriddlesStarting Amps180000 BTUStarting Amps180000 BTUStarting AmpsStarting AmpsStarting Amps180000 BTUStarting AmpsStarting AmpsStarting AmpsStarting AmpsStarting MattageStarting AmpsStarting MattageStarting AmpsStarting Amps <td>Cooking Surface Material</td> <td></td>	Cooking Surface Material	
Kit TypeChef Base / Cooking EquipmentNumber of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop Style180000 BTUTotal BTU180000 BTUTypeGriddlesUsageMedium Duty	Horsepower	2/5 hp
Number of Burners6 BurnersNumber of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTop Style33 - 40 Degrees FTotal BTU18000 BTUTypeGriddlesItageMarine EdgeBtarting Amps18000 BTUStarting AmpsMarine EdgeTop StyleGriddlesTotal BTUMarine EdgeTypeGriddlesHander Starting AmpsMarine EdgeTotal BTUMarine EdgeTypeGriddlesHander Starting AmpsMarine EdgeTypeMarine EdgeTypeStarting AmpsTypeMarine EdgeTypeMarine EdgeTypeStarting AmpsTypeMarine EdgeTypeStarting AmpsTypeMarine EdgeTypeStarting AmpsTypeStarting AmpsT	Installation Type	Freestanding
Number of Controls6 ControlsNumber of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop Style180000 BTUTotal BTUGriddlesUgageMedium Duty	Kit Type	Chef Base / Cooking Equipment
Number of Drawers4 DrawersPlate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU180000 BTUTypeGriddlesUsageMedium Duty	Number of Burners	6 Burners
Plate Thickness3/4 InchPower TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Number of Controls	6 Controls
Power TypeNatural GasRefrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Number of Drawers	4 Drawers
Refrigerant TypeR-290Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Plate Thickness	3/4 Inch
Refrigerator BTU974 BTUStarting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Power Type	Natural Gas
Starting Amps19.5 AmpsStarting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Refrigerant Type	R-290
Starting Wattage1461 WattsTemperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Refrigerator BTU	974 BTU
Temperature Range - Refrigerator33 - 40 Degrees FTop StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Starting Amps	19.5 Amps
Top StyleMarine EdgeTotal BTU18000 BTUTypeGriddlesUsageMedium Duty	Starting Wattage	1461 Watts
Total BTU 18000 BTU Type Griddles Usage Medium Duty	Temperature Range - Refrigerator	33 - 40 Degrees F
Total BTU 18000 BTU Type Griddles Usage Medium Duty	Top Style	Marine Edge
Usage Medium Duty	Total BTU	180000 BTU
Usage Medium Duty	Туре	Griddles
	Usage	Medium Duty
Weight Capacity 1100 lb.	Weight Capacity	

Cooking Performance Group 72GMRBNL 72" Gas Countertop Griddle with Manual Controls and 72", 4 Drawer Refrigerated Chef Base - 180,000 BTU



Notes & Details

Easily keep up with customer demands for grilled burgers, chicken, steak and other dishes by cooking them on the Cooking Performance Group 72GMRBNL 72" gas griddle with manual controls and refrigerated chef base! This convenient equipment combination is great for any kitchen that wants to streamline their food prep process, providing refrigerated storage space, a griddle for cooking, and a place for the griddle to sit. You can keep a variety of ingredients in the chef base, pull them out for an order, and grill it all within the same workspace!

This particular griddle boasts 6 powerful 30,000 BTU stainless steel burners with standing pilots for instant ignition that make it a fantastic choice for burgers, bacon, cheesesteak, and other foods. Manual controls offer added appeal to experienced chefs who prefer the "feel" of manual controls, while the 3/4" thick, 72" wide polished steel cooking surface features an impressive 20" depth that is sure to deliver all of the cooking workspace needed.

The griddle is made of rugged stainless steel that is both durable and extremely easy to clean, includes back and side splashes to protect your walls and countertops, and even offers a full width waste tray to provide you with a complete package of excellent performance and worry-free maintenance! The unit offers a conveniently located 3/4" rear gas connection and ships ready to connect to a natural gas supply. The unit also includes a liquid propane orifice kit for simple field conversion.

Not only will you receive the griddle, but you get a 4 drawer refrigerated base to place it on, as well! This particular chef base features a durable 1 3/4" stainless steel top that can hold up to 1100 lb. and is equipped with a marine edge to contain drips and spills for easy cleanup. For maximum capacity, each drawer can hold up to 2 full size food pans (sold separately). The 1/5 hp refrigeration system circulates R-290 refrigerant and is easily operated by its electronic temperature control, which allows you to set the unit to hold prepared foods and ingredients at temperatures between 33 and 41 degrees Fahrenheit. Plus, the cabinet is made of 20 gauge stainless steel inside and out for durability, and for greater ease of cleaning, it rests on (4) 4" casters so that you can move it away from the wall. The refrigerated chef base requires a 115V electrical connection for operation.

WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to <u>www.p65warnings.ca.gov</u>.