

Cooking Performance Group GM-CPG-48-NL 48" Gas  
Countertop Griddle with Manual Controls - 120,000  
BTU



Project: \_\_\_\_\_





## Features

- 4 independently-controlled 30,000 BTU burners
- Standing pilots for instant ignition
- Heavy-duty, adjustable feet provide stability
- Made of durable, easy-to-clean stainless steel
- Field convertible to liquid propane; includes orifice for connection

## Technical Data

|                       |                        |
|-----------------------|------------------------|
| Width                 | 48 Inches              |
| Depth                 | 29 5/16 Inches         |
| Height                | 16 5/16 Inches         |
| Cooking Surface Width | 48 Inches              |
| Nominal Width         | 48 Inches              |
| Cooking Surface Depth | 20 Inches              |
| Backsplash            | With Backsplash        |
| Base Style            | None – Countertop Unit |
| Burner BTU            | 30000 BTU              |
| Burner Style          | U-Shaped               |

## Certifications






# Cooking Performance Group GM-CPG-48-NL 48" Gas Countertop Griddle with Manual Controls - 120,000 BTU



## Technical Data

|                          |  |
|--------------------------|--|
| Control Type             | Manual   |
| Cooking Surface Material | Polished Steel   |
| Features                 | Field-Convertible (Gas)<br>Massachusetts Accepted Plumbing Product |
| Gas Connection Size      | 3/4 Inches   |
| Installation Type        | Countertop   |
| Number of Burners        | 4 Burners  |
| Number of Controls       | 4 Controls   |
| Plate Thickness          | 3/4 Inch   |
| Power Type               | Natural Gas  |
| Total BTU                | 120000 BTU   |
| Type                     | Griddles   |
| Usage                    | Medium Duty  |

## Plan View





351GMCPG48NL

## Cooking Performance Group GM-CPG-48-NL 48" Gas Countertop Griddle with Manual Controls - 120,000 BTU



### Notes & Details

This Cooking Performance Group GM-CPG-48-NL 48" countertop griddle boasts four powerful 30,000 BTU stainless steel U-shaped burners with standing pilots for instant ignition that make it a fantastic choice for busy snack bars, concession stands and take-out restaurants! Great for burgers, bacon, cheesesteak, and other meats, this unit's manual controls offers added appeal to experienced chefs who prefer the "feel" of manual controls, while the 3/4" thick, 48" wide polished steel cooking surface features an impressive 20" depth that is sure to deliver all of the workspace needed.

The Cooking Performance Group GM-CPG-48-NL countertop griddle is made of stainless steel that is both durable and extremely easy to clean, includes back and side splashes to protect your walls and countertops, and even has a full width waste tray to provide you with a complete package of excellent performance and worry-free maintenance! It has a 3/4" rear gas connection and ships ready to connect to a natural gas supply, but includes a liquid propane orifice kit for simple field conversion.

**⚠ WARNING:** This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).