

351S36SBL36K

Cooking Performance Group S-36-SB-L 36" Liquid Propane Infrared Salamander Broiler with 36" Heat Shield and Mounting Brackets - 36,000 BTU



Certifications

ETL Sanitation ETL, US & Canada

1/2" Gas Connection

Item #: 351S36SBL36K Qty: _____
Project: _____
Approval: _____ Date: _____

Features

- Liquid propane, 36,000 BTU
- Includes mounting brackets and 36" heat shield to fit on your CPG 36" range
- Durable stainless steel front and sides
- Gas-fired infrared burner efficiently browns casseroles or toasts sandwiches
- Lever controlled rack height to adjust product for the perfect heat application
- Note: only the salamander holds the ETL certification

Technical Data

Width	34 7/8 Inches
Depth	20 3/4 Inches
Height	23 1/4 Inches
Interior Width	27 Inches
Interior Depth	18 1/5 Inches
Interior Height	14 Inches
Gas Connection Size	1/2 Inches
Installation Type	Range Mounted
Number of Shelves	1 Shelf
Power Type	Liquid Propane

351S36SBL36K


Cooking Performance Group S-36-SB-L 36" Liquid Propane Infrared Salamander Broiler with 36" Heat Shield and Mounting Brackets - 36,000 BTU



Technical Data

Temperature Range	80 - 400 Degrees F
Total BTU	36000 BTU
Type	Salamanders

Plan View



351S36SBL36K

Cooking Performance Group S-36-SB-L 36" Liquid Propane Infrared Salamander Broiler with 36" Heat Shield and Mounting Brackets - 36,000 BTU



Notes & Details

An excellent addition to your kitchen's equipment lineup, this Cooking Performance Group S-36-SB-L liquid propane 36" gas salamander broiler allows you to quickly and easily melt cheese, brown the top of casseroles, toast sandwiches, or even finish steaks and other meats! It is equipped with a gas-fired 36,000 BTU infrared burner with adjustable gas valves and a standing pilot for instant ignition. With a temperature range of 80-400 degrees Fahrenheit, this unit can handle a variety of cooking tasks, improving the efficiency of your kitchen by offering a versatile piece of equipment in a compact size.

This broiler features a sleek stainless steel front and sides, making it both durable and easy to clean! A full width, large capacity broiler pan can also be removed for convenient cleaning. This model also includes a 36" heat shield. For easy setup, mounting brackets and hardware are included so that you do not have to take up valuable floor space with an equipment stand.

A model of versatility, the Cooking Performance Group S-36-SB-L salamander broiler has a spring-balanced, adjustable tension assembly that raises and lowers with positive multi-position locking, and also rolls out for easy loading, unloading, and cleaning. A stainless steel crumb tray easily slides out of the unit to remove dropped food. A liquid propane gas connection is required for operation.

⚠ WARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.