





EXTRACTOR PLUS

DISPENSERS

MBS-1221 Multi Brewer

DISPENSERS



All dispensers **SOLD SEPARATELY**.






BREW BASKETS

Two brew baskets with different color clips — green for tea and brown for coffee — for easy differentiation.



CASCADING SPRAY DOME

Patented design provides even saturation of the coffee bed for maximum extraction. Lime resistant design for fewer service calls.



TRUE BREW TIME

Automatically manage net brew time independent from pre-wet and pulsing functions for easy adjustment of tea and coffee extraction.

EXTRACTOR PLUS

ACCESSORIES

MBS-1221 Multi Brewer

ACCESSORIES, BASKETS AND FILTERS

| Item Number | Voltage | Brew Basket | Coffee Capacity | Tea Capacity | Filter Size | Filter SKU | Filter/Case | | |
|---------------------|---------|--------------------------------------|-----------------|--------------|-------------|------------|-------------|--|--|
| NORTH AMERICA | | | | | | | | | |
| M1221US-1A117-PM001 | 120 | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |
| M1221US-1X117-PM001 | Dual | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |
| INTERNATIONAL | | | | | | | | | |
| M1221IN-1B130-PM005 | 200-240 | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |
| M1221NM-1X117-PM001 | Dual | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |
| M1221CE-1B130-PM005 | 230 | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |
| M1221CE-1B130-PM006 | 230 | (2) 13" x 5" Standard Plastic | 3.5 oz/100 g | 4.0 oz/100 g | 13" x 5" | F002 | 500/cs | | |

B014218BN2BK

13" x 5" Coffee Plastic Basket



B014140G2BK

13" x 5" Tea Plastic Basket



F002 13" x 5" Paper Filters



Contact Customer Service or your Sales Person for more options.

WATER FILTRATION SYSTEM

| Filtration System | Item Number | Item Description | Rated Capacity | Working Pressure | Weight |
|-------------------|-------------|-----------------------|----------------|-------------------------------------|-------------------|
| Everpure® | A039 | In-Line System | 113,563 liters | 10-125 psi [0.7-8.6 bar], non-shock | 6.0 lbs / 2.7 kg |
| Everpure® | A075 | Replacement Cartridge | 113,563 liters | 10-125 psi [0.7-8.6 bar], non-shock | 6.0 lbs / 2.7 kg |
| BWT Bestmax | A138 | In-Line System | 3,002 liters | 29-116 psi [2-8 bar], non-shock | 11.0 lbs / 5.0 kg |
| BWT Bestmax | A139 | Replacement Cartridge | 3,002 liters | 29-116 psi [2-8 bar], non-shock | 11.0 lbs / 5.0 kg |
| BWT Bestmax | A140 | In-Line System | 4,562 liters | 29-116 psi [2-8 bar], non-shock | 11.0 lbs / 5.0 kg |
| BWT Bestmax | A141 | Replacement Cartridge | 4,562 liters | 29-116 psi [2-8 bar], non-shock | 11.0 lbs / 5.0 kg |

EVERPURE®

In-Line Water Filtration System



SET INCLUDES: 1ea. commercial quality corrosion resistant filter head 1ea. taste and odor filter cartridge (FETCO® #A075) / 1ea. 3/8" x 4' connection hose / 1 set — mounting bracket and hardware.

- Recommended for large-sized operations
- Taste and odor filter for extremely turbid (cloudy) water
- Granular-activated carbon reduces sediment and chlorine
- Quick-disconnect style head/cartridge design cartridge for effortless replacement
- Durable, corrosion-resistant head inlcudes built-in shutoff valve

BWT BESTMAX

In-Line Water Filtration System



SET INCLUDES: 1ea. filter cartridge / 1ea. universal filter head / 1ea. wall mounting bracket Braided hose supplies 3/8" and 3/4" compression, in 24" or 48" lengths

- Recommended for small- to medium-sized operations
- Carbonate hardness removal prevents scale deposits and retains minerals
- Granular-activated carbon reduces sediment and chlorine
- Quick-disconnect style head/cartridge design cartridge for effortless replacement
- $\qquad \qquad \textbf{Durable, corrosion-resistant head inlcudes built-in shutoff valve}$
- Four bypass settings allows for different water qualities and product preferences



TECHNICAL SPECIFICATIONS

MBS-1221 Multi Brewer

NORTH AMERICA

| ELECTRICAL | | | | | | | | | | |
|-------------------------------------|---------------|--------------------|--|--------|------------|--------------------|-----------------------|------------------------|--------------------------|---------------|
| Item Number | Brew Basket | Voltage | Heater Config. | Phase | Wires | kW | Connection | Max Amp Draw | [Gal] / [L] Hour | Certification |
| M1221US-1A117-PM001 | 13x5" Plastic | 100-120 | 1 x 1.7 kW / 120 V | 1 | 2+G | 1.3-1.8 | NEMA 5-15P | 12.2-14.6 | 4.4 / 16.7 | (E) . (V) us |
| M1221US-1X117-PM001 DUAL VOLTAGE | 13x5" Metal | 100-120 208-240 | 1 x 1.7 kW / 120 V 1 x 3.0 kW / 240 V | 1 1 | 2+G 2+G | 1.3-1.8 2.3-3.0 | NEMA 5-15P No Cord | 12.2-14.6 11.2-12.9 | 4.4 / 16.7 7.0 / 26.5 | (S) c(V) us |

| V | V | ٨ | T | E | R | |
|---|---|---|---|---|---|--|
| | | | | | | |

| WaterInlet | Water Pressure [psig] / [Bar] | Minimum Flow Rate [gpm] / [L/min] | Tank Capacity [Gal] / [L] | | |
|-----------------|-------------------------------|-----------------------------------|---------------------------|--|--|
| 1/4" Male Flare | 20-75 / 1.37-5.17 | 1.50 / 5.68 | 2.66 / 10.07 | | |

INTERNATIONAL

| ELECTRICAL | | | | | | | | | | |
|--|---------------|--------------------|--|--------|------------|--------------------|-----------------------|------------------------|--------------------------|---------------|
| Item Number | Brew Basket | Voltage | Heater Config. | Phase | Wires | kW | Connection | Max Amp Draw | [Gal] / [L] Hour | Certification |
| M1221IN-1B130-PM005 ¹ | 13x5" Plastic | 200-240 | 1 x 3.0 kW / 240 V | 1 | L/N/PE | 2.2-3.1 | CEE 7/7 | 10.8-12.9 | 4.4 / 16.7 | NSF c(VL) us |
| M1221NM-1X117-PM001 ¹ DUAL VOLTAGE | 13x5" Plastic | 100-120 208-240 | 1 x 1.7 kW / 120 V 1 x 3.0 kW / 240 V | 1 1 | 2+G 2+G | 1.2-1.7 2.4-3.1 | NEMA 5-15P No Cord | 12.2-14.6 11.2-12.9 | 4.4 / 16.7 7.0 / 26.5 | NOM (S) |
| M1221CE-1B130-PM0051 | 13x5" Plastic | 230 | 1 x 3.0 kW / 240 V | 1 | L/N/PE | 2.9 | CEE 7/7 | 12.4 | 7.0 / 26.5 | ® (€ |
| M1221CE-1B130-PM0061 | 13x5" Plastic | 230 | 1 x 3.0 kW / 240 V | 1 | L/N/PE | 2.9 | UK1-13P | 12.4 | 7.0 / 26.5 | ® (€ |


| WATER | | | |
|-----------------|-------------------------------|-----------------------------------|---------------------------|
| WaterInlet | Water Pressure [psig] / [Bar] | Minimum Flow Rate [gpm] / [L/min] | Tank Capacity [Gal] / [L] |
| 1/4" Male Flare | 20-75 / 1.37-5.17 | 1.50 / 5.68 | 2.66 / 10.07 |




DIMENSIONS

MBS-1221 Multi Brewer

| DIMENSIONS & WEIGHT | | | | | | | | | | |
|---------------------|--------------------|--------------------|-----------------|----------------------------|---------------------------------|--------------------|--------------------|---------------------|------------------------------|-------------------------------|
| | Height (A) | Width (B) | Depth (C) | Faucet Clearance (D) | Brew Basket Clearance (E) | Open Shel | f Clearance (G) | (H) | Empty Weight [lbs] / [kg] | Filled Weight [lbs] / [kg] |
| Product | 36.63" 93.04 cm | 9.25" 23.50 cm | 22" 55.88 cm | 30.00" 76.20 cm | 22.63" 57.48 cm | 11.25" 28.57 cm | 12.00" 30.48 cm | 14.875" 37.78 cm | 37 lbs 16.7 kg | 60 lbs 27.2 kg |
| Shipping | 27.00" 68.60 cm | 11.50" 29.20 cm | N/A | N/A | N/A | N/A | N/A | N/A | 50 lbs 22.7 kg | N/A |





- 1 Water
- 2 On/Off3 USB
- 4 Power

