



Patent Pending

Induction Griddle Features

- Equal heat distribution across entire 20.9"x15.35" griddle cooking surface.
- Wireless temperature measurement close to the food
- Instant energy transmission from inverter coil to griddle plate surface for excellent temperature recovery; heat up time, 68°to 450°F (20° to 230°C), 4 1/2 min.
- Very low heat dissipation results in cooler working environment and reduced energy costs

Induction Hob Features

- Significant Energy Savings. More than 50% energy savings (compared to gas open tops)
- Easy To Clean
- Instantaneous correction of temperature deviations
- Boil-Dry protection detects overheating conditions automatically

Electrical Specifications

Plug Type: NEMA 6-50P

Supply Voltage: 208/240VAC, Single Phase, 60Hz

Installed Appliance Power: 7000W Max

38 Amps

Valere Series

Ki Mobile Induction Cooking Station

The Valere series mobile cooking station is an innovative approach to food preparation. Integrated with state of the art induction appliances, recirculating air-filtration and UL300 fire suppression systems, it eliminates the need for external ventilation. It's a self-contained front-of-house cooking solution that is perfect for hotels, restaurants, resorts, cafeterias, malls, grocery stores and convention centers or anywhere traditional Type-1 hoods and ductwork are impractical or too expensive. It gives food service operators the ability to fully engage their customers, expand their menu and grow their business in areas not possible before. It is a versatile, energy efficient cooking solution that meets NFPA-96 codes and is listed to NSF-2 and UL710B standards.

Mobile Cooking Station Features

- Four-Stage self-contained recirculating air-filtration system for evacuation of grease, smoke, steam, and heat.
- **UL300 Fire Suppression System**
- Super quiet 55-58 dBA
- No make-up air needed
- Extremely efficient filtration captures emissions exceeding NFPA-96 and UL710B requirements.
- Easy access to filters
- FLEX- Filter Life Extension Technology (Utilizing intelligent sensors and controls the FLEX system optimizes the air flow and noise levels extending the life of filters by 200% when compared to fixed flow systems).
- Solid Stainless Steel construction with standard P-LAM finishes included. Premium panel P-LAM finishes available as an upgrade for front and sides to match adjacent millwork finishes.

Additional Information

- 1 Year limited manufacturer warranty
- Product availability, technical details, installation, safety and maintenance instructions can be requested at info@kaliberinnov.com
- Listed to NSF-2 and UL710B Standards












^{**}In the configuration shown

Features and Model Number Configuration Options



Item	Description			
1	Power Button			
2	Utensil Holder			
3	Garnish Dishes			
4	Grease Cup			
5	Fire Suppression Nozzles			
6	Filter Access Panel Knobs			
7	Baffle Grease Filters			
8	Induction Griddle			
9	Induction Hob			
10	Filter Access Panel			
11	Fire Suppression Pull Handle			
12	Cutting Board			
13	Ice Drawers			
14	Locking Casters			
15	Induction Griddle Control Panel			
16	System Status Display Screen			
17	Grease Drawer			
18	Induction Hob Control Panel			

Model Number	Left Appliance (XA)	Right Appliance (YA)	Panel Variations (B = 1-6)	Type of Garnish Dishes (C = 0-2)		
MC-59-FPS-XA-YA-B-C	XA	YA	1 = Stained/Varnished Wood 2 = P-LAM 3 = 304 Stainless Steel 4 = Plastic 5 = Anodized Aluminum 6 = Powder Coated CR Steel	0 = None 1 = Integrated 2 = Set-Top (Custom)		
Induction Griddle and Hob Combinations						
MC-59-FPS-G2-R3	Garland 3500W Griddle GI-SH/GR/IN3500	Garland 3500W Hob GI-SH/IN 3500				
MC-59-FPS-G2-W2	Garland 3500W Griddle GI-SH/GR/IN3500	Garland 3500W Wok GI-SH/WO/IN 3500				
MC-59-FPS-G2-R4	Garland 3500W Griddle GI-SH/GR/IN3500	Cooktek 3500W Hob MCD3500				
MC-59-FPS-G2-W3	Garland 3500W Griddle GI-SH/GR/IN3500	Cooktek 3500W Wok MWDG3500				
MC-59-FPS-G2-R7	Garland 3500W Griddle GI-SH/GR/IN3500	Dipo 3500W Hob BK35-A				
MC-59-FPS-G2-R9	Garland 3500W Griddle GI-SH/GR/IN3500	SpringUSA 2600W Hob SM-261R				
3500W Hob/Wok Combinations						
MC-59-FPS-R3-R3	Garland 3500W Hob GI-SH/IN 3500	Garland 3500W Hob GI-SH/IN 3500				
MC-59-FPS-R3-W2	Garland 3500W Hob GI-SH/IN 3500	Garland 3500W Wok GI-SH/WO/IN 3500				
MC-59-FPS-W2-W2	Garland 3500W Wok GI-SH/WO/IN 3500	Garland 3500W Wok GI-SH/WO/IN 3500				
MC-59-FPS-R4-R4	Cooktek 3500W Hob MCD3500	Cooktek 3500W Hob MCD3500				
MC-59-FPS-R4-W3	Cooktek 3500W Hob MCD3500	Cooktek 3500W Wok MWDG3500				
MC-59-FPS-W3-W3	Cooktek 3500W Wok MWDG3500	Cooktek 3500W Wok MWDG3500				
MC-59-FPS-R7-R7	Dipo 3500W Hob BK35-A	Dipo 3500W Hob BK35-A				
MC-59-FPS-R9-R9	SpringUSA 2600W Hob SM-261R	SpringUSA 2600W Hob SM-261R				



