

















MAT440 Heavyweight,15" x 20",100 pads per box

Lasts 2x longer than ordinary mats for fewer change-outs, while only absorbing oil and fuels, NOT water. Loves oil. Hates water.

- Our most cost-effective mat when you only need to absorb oil-based liquids
- Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind oil or fiber residue
- Absorbs oil and fuels, NOT water
- White color tells you it's only for oils and fuels; draws attention to machine leaks and clearly shows saturation level during spill response
- Floats to clean up spills on water
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Dispenser box makes mat easy to access, carry and store while protecting contents from dirt and moisture
- Pads are ideal for catching drips and soaking up spills
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction is highly durable and absorbent for demanding tasks and largevolume cleanups
- Mats take on the properties of absorbed liquids - always take proper precautions when handling saturated absorbents



Specifications

| Dimensions | 15" W x 20" L | | | |
|----------------|-------------------------|--|--|--|
| Mat Weight | Heavyweight | | | |
| Absorbency | Up to 22 gal. per box | | | |
| Absorbency per | Up to 28.16 oz. per pad | | | |
| Brand | PIG | | | |

| Category | PIG® Oil-Only Absorbent Mat | | |
|-----------------------------|---|--|--|
| Color | White | | |
| Floating | Yes | | |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish | | |
| Fluid Absorbed | Oils; Fuels; Oil-Based Liquids (Not Water) | | |
| Incinerable | Yes | | |
| Indoor/Outdoor | Indoor Use; Short-Term Outdoor Use | | |
| Perforated | Yes | | |
| Perforated Pattern | 10" x 15" sections | | |
| Reusable | No | | |
| Static-Dissipative | No | | |
| Traffic | Not Recommended for Foot Traffic | | |
| UV Resistant | No | | |
| Wringable | Yes | | |
| Distributor Part Number | 30pv60;2688304;04088x31541 | | |
| Sold as | 100 pads per box | | |
| Weight | 18 lbs. | | |
| # per Pallet | 30 | | |
| Composition | Polypropylene | | |
| UNSPSC | 47131901 | | |
| Pigalog® Page Number | <u>Page 43</u> | | |

Metric Equivalent

| Absorbency | Up to 83.3 L per box |
|----------------|------------------------|
| Absorbency per | Up to 832.7 mL per pad |
| Dimensions | 38.1cm W x 50.8cm L |
| Weight | 8.2 kg |

Technical Information

Technical Documents

SPCC: 8 Things You Need to Know

PIG® Oil-Only Absorbents

29 CFR 1910.22(a)(2)

40 CFR 112.7

40 CFR 122.26

