



HP 64XL High Yield Black Original Ink Cartridge (N9J92AN)



Overview

HP 64XL Ink Cartridge, black

More than 50% of Original HP Ink Cartridges are made with recycled ocean-bound plastic.[10]

High quality prints

HP 64 ink cartridges deliver authentic colors so all your prints will shine.

Ink that works for you

Brilliant color performance with Active Ink Balancing—produce sharp documents for the life of your tri-color cartridge.

Delivers consistent quality

Get top quality prints with cartridges designed and tested with high standards.

Built with the environment in mind

HP 64 ink cartridges are built with recycled material and can easily be recycled for free. [3]

Features



Designed to work the first time, every time^[5]



Quality prints you can take pride in



The environmental choice^[6]



Better together. Better results.



True-to-life colors



Exceptional HP print quality

[3] HP Planet Partners availability varies. For details, see <http://www.hp.com/recycle>. 80% of Original HP ink cartridges contain between 45-70% recycled content.

[5] See <http://www.hp.com/go/suppliesclaims>.

[6] HP Planet Partners Program availability varies. For details, see <http://www.hp.com/recycle>. On recycled materials in cartridges, see <http://www.hp.com/go/recycledcontent>.

Specifications

| | |
|---|--|
| Ink types | Pigment-based |
| Color(s) of printing supplies | Black |
| Print Technology | Ink |
| Supply type | Cartridges |
| Ink drop | 12 pl |
| Print head nozzles | 704 |
| Print cartridge volume delivered | 12 ml |
| Operating temperature range | 15 to 32°C |
| Storage temperature range | -40 to 60°C |
| Operating humidity range | 20 to 80% RH |
| Non-Operating Humidity Range | 20 to 80% RH |
| Print Resolution Technologies | TIJ 2.X |
| Compatibility | HP ENVY Photo 6200 All-in-One Printer series, HP ENVY Photo 7100 All-in-One Printer series, HP ENVY Photo 7800 All-in-One Printer series |
| Product count per unit | 1 |
| Case or master carton quantity | 24 |
| Quantity per pallet | 3168 |
| Cartons per pallet | 132 |
| UPC number | 190780812006 |
| Pallet barcode | (140) 40190780812004 |
| Minimum dimensions (W x D x H) | 114 x 36.3 x 102.9 mm |
| Minimum dimensions (W x D x H) | 4.49 x 1.43 x 4.05 in |
| Package dimensions (W x D x H) | 114 x 36.3 x 102.9 mm |
| Package dimensions (W x D x H) | 4.49 x 1.43 x 4.05 in |
| Case or master carton dimensions (W x D x H) | 357.2 x 138.1 x 169.9 mm |
| Case dimensions (case or master carton) | 14.06 x 5.44 x 6.69 in |
| Pallet dimensions (W x D x H) | 1219.2 x 1016 x 1168.4 mm |
| Pallet dimensions | 48 x 40 x 46 in |
| Case weight (case or master carton) | 1.75 kg |
| Package weight | 0.06 kg |
| Package weight | 0.14 lb |
| Pallet weight | 249.5 kg |

| | |
|----------------------|----------|
| Pallet weight | 549.5 lb |
|----------------------|----------|

| | |
|-------------------|-----|
| Page Yield | 600 |
|-------------------|-----|

| | |
|-------------------------------------|------------|
| Page yield (black and white) | ~600 pages |
|-------------------------------------|------------|

| | |
|--------------------------|---------------|
| What's in the box | Ink cartridge |
|--------------------------|---------------|

| | |
|------------------------------|--|
| Manufacturer Warranty | HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. |
|------------------------------|--|

Additional specifications

| | |
|--|--|
| Business Segment | Premium Home |
| Cartons per layer | 22 |
| Cartridge Colors | Black |
| Case weight (case or master carton, imperial) | 3.86 lb |
| Compatibility 01 | HP ENVY 6200, 6222, 6255, 7100, 7155, 7158, 7200e, 7220e, 7258e, 7800, 7855, 7900e, HP ENVY Inspire 7900e |
| Compatibility 02 | HP Tango Printer, X |
| Compatibility headline | HP 64 ink cartridges work with: |
| Count of layers in pallet | 6 |
| Country of origin | Made in Malaysia |
| Inner pack ITF-14 unit code | (140) 10190780812003 |
| Operating temperature range | 59 to 90°F |
| Package count | 1 |
| Page yield (black) | 1 Black (~600 pages) |
| Page yield footnote | Tested on HP Envy 7800 All-In-One Printer. Approximate average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies . |
| Photo (product photo, jpg, 190x170) | Ink Toner Paper Printer Supplies/HP-62-Ink-Cartridges_190x170.jpg |
| Photo (product photo, jpg, 70x100) | Ink Toner Paper Printer Supplies/HP-62-Ink-Cartridges_70x100.jpg |
| Print technology | HP Thermal Inkjet |
| Printhead swath (inch) | 0.5625 in |
| Product subgroup | High Capacity Ink Cartridges |
| Quantity per box | 4 |
| Segment (filter) | Premium Home |
| Selectability | 64XL |
| Smaller master carton barcode | (140) 20190780812000 |
| Stacking number for pallet | 2 |
| Storage temperature range | -40 to 140°F |
| Subgroup | High Capacity Cartridges |
| UNSPSC code | 44103105 |

Warranty

HP's ink cartridges and printheads are warranted to be free from defects in materials and workmanship during the period of the warranty. This warranty pertains to the product when used in its designated HP or authorized OEM printing device. HP will, at HP's option, either refund the purchase price or replace products that prove to be defective. Visit the HP online support web site <http://www.hp.com/support> for a list of support phone numbers and conditions or return to your point of purchase.

Weight

0.09 lb

Weight

0.04 kg

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 08, 2022 4:01 PM UTC+0000