product sheet



COMBI CK-24V

2-in-1. Compact vegetable slicer + cutter. Adjustable speed with "brushless" technology.





bigger production.

- √ Transparent polycarbonate lid equipped with hole to add ingredients
- √ Lid complete with gasket to avoid product overflowing.
- √ Homogeneous and fine mixing result thanks to the lateral stirrers and invert-blade technology.
- The lateral stirrers avoid product overheating.
- √ Very uniform finish due to the movement generated the special positon of the cutting edges.
- ✓ Depending on the purpose, the possibility of using optional smooth or perforated blades.
- ✓ Built-in programs and option to customize programs for recipe standardization.

Built to last

✓ Sturdy construction in food-grade best quality materials.

Maximum comfort for the user

- ✓ Ergonomic design: product sliced in one single movement.
- ✓ Cutter bowl equipped with ergonomic handle.
- ✓ Lateral product output: requires less space on the worktop and guides the product, avoiding splashes.
- ✓ Adjustable product ejection direction to adapt to the workflow in the preparation area.
- Advanced control panel that is very intuitive to use and offers all the information at a glance.
- Recessed cored relief allows for any position in the kitchen, side walls, back wall, light and compact, this machine can fit.
- Control panel equipped with timer to standardise processes.

Maintenance, safety, hygiene

- \checkmark Lever, lid and bowl are easily removable for cleaning purposes.
- ✓ Stainless steel, dishwasher-safe discs. The removable blades allow for an even more thorough and efficient cleaning.
- ✓ Combination of safety systems: head, cover, bowl, power switch.
- √ Complete error warning system.
- √ Appliance certified by NSF International (regulations on hygiene, cleaning and materials suitable for contact with foods).
- √ 100% tested.

SALES DESCRIPTION

Compact ULTRA line. Variable speed motor block + vegetable slicer attachment + 4,4 l cutter bowl.

Equipped with "brushless" technology: powerful and efficient motors.

- √ Maximum efficiency: maintain the torque throughout the speed range.
- Exclusive "force control system": guarantee of a uniform and high quality result.
- √ Lightweight and compact design: they weigh less, they occupy less
- ✓ Improved air/water-tightness since no ventilation is required.
- √ They generate less noise: improved workplace environment.

Vegetable slicer function: a perfect cut.

- √ High precision settings and comprehensive cutter and disc design aimed at obtaining a perfect cut.
- Gravity product expulsion ramp allow to reconstruct the sliced product for storing or presentation purpose. (Watch video)
- Ejection disc included for the products that require its use.
- ✓ It can be fitted with a wide range of discs and grids of the highest cutting quality.
- Combining these accessories together to obtain more than 35 different types of cuts and grating grades. Exclusive "Force Control System" to optimise and standardise the cutting of each product: acoustic warning when the motor exceeds

Cutter function: efficiency and performance.

- Possibility of programming by time and pulse button.
- √ 4.4 It-bowl equipped with lateral stirrer and high shaft to obtain a



the pre-established force.





INCLUDES

- √ Variable speed motor block.
- Vegetable slicer attachment.
- Cutter bowl with toothed blades.
- √ Gravity product expulsion ramp.
- ✓ Ejection disc.
- ✓ CK-24V 2D includes 2 discs: FCS-4 (4 mm. slicing disc) and SHS-2 (2 mm. shredding disc).

OPTIONAL

☐ Hub with smooth blades.

■ Hub with perforated blades.

ACCESSORIES

☐ FCS Slicing Discs (Compact line)

☐ SHS Shredding & Grating Discs (Compact line)

SPECIFICATIONS

Total loading: 2 Hp (10 A)

As vegetable preparation machine

Hourly production: 110 lbs - 770 lbs

COMBICK-24V

2-in-1. Compact vegetable slicer + cutter. Adjustable speed with "brushless" technology.

Inlet opening: 13.8 in² Disc diameter: 7.1 "

Speed as veg. slicer: 300 - 1000 rpm

External dimensions (WxDxH): 14.9 " x 12.2 " x 21 "

Net weight (Veg.Prep.): 28.4 lbs

As cutter

Bowl capacity: 4.65 qt

Speeds as cutter (positions): 300 - 3000 rpm

External dimensions (WxDxH):9.9 " x 12.2 " x 17.1 "

Net weight (Cutter): 26.2 lbs Noise level (1m.): <70 dB(A) Background noise: 32 dB(A)


Crated dimensions

15.0 x 22.2 x 18.9 " Volume Packed: 0.1 m³ Gross weight: 40.8 lbs.

AVAILABLE MODELS

1050930 Combi vegetable prep.-cutter CK-24V 2D 120/50-60/1 · 2 discs included

* Ask for special versions availability





usa@sammic.com 1225 Hartrey Avenue 60202-1056 Evanston, IL phone +1 (224) 307-2232 toll free +1 844 275 3848



Project	Date
Item	Qty

Approved