{58.41}

TableWorx® Premium Stainless Steel Tables with Overhead Shelves and Accessories

Metro TableWorx® premium stainless steel tables let you transform a premium work table into a space that works for you. Every TableWorx® system is built to last with heavy-duty welded construction and soft touch edges for the premium feel you'd expect from Metro®. **Choose from 3 levels of performance:** Standard (304 stainless work surface with Metroseal Gray components), All-stainless (304 stainless work surface and components), or All-stainless (316 stainless work surface with 304 stainless components). Every TableWorx® workstation starts with a base table and is fitted with a series of overshelves, an accessory grid, hooks, baskets, drawers, or casters to keep all your supplies easily accessible and the surface clutter free.

TableWorx® with **Cantilevered Riser**





TableWorx® with **4-Post Riser**

Features and Benefits:

- Modular platform allows you to customize a perfect solution
- Overhead riser can be removed anytime, converting it into a highly efficient workspace.
- Six adjustable working heights built into every table.
- Multiple base options to choose from: solid or wire shelves, I-frame for 2-sided seating, or 3-sided frame (open base) for nesting carts, trash cans, or equipment.
- Available in mobile or stationary (multiple caster options to meet application needs)
- Easily add stackable drawers or removable easy-clean hanging storage bins.
- Multiple shelf options available and are adjustable in 1" (25mm)

LEVEL 1

Standard
304 Stainless Work Surface
Perfect for foodservice, academic, and general use purposes

LEVEL 2

All Stainless
304 Stainless Work Surface
Perfect for lab, electronics, pharmaceutical, and general life science applications

LEVEL 3

All Stainless
316 Stainless Work Surface
Perfect for cleanroom, biopharma, and other applications with demanding cleaning protocols

Component	Standard	304 All Stainless	316 All Stainless*
Work Surface Material	Type 304 Stainless	Type 304 Stainless	Type 316 Stainless
Leg & Shelf Material	Metroseal Gray Epoxy Coated Steel	Type 304 Stainless	Type 304 Stainless
Leg Mount Material	Nylon	Type 304 Stainless	Type 304 Stainless

* 316 All stainless tables have a Type 316 stainless work surface with Type 304 stainless steel legs, shelves, and leg mounts.



All tables available in stationary or mobile.

PROTECTION THAT LIVES ON MICROBAN

MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.

Warranty: 1-year parts & labor warranty

All Metro Catalog Sheets are available on our website: **metro.com**

LO2-260 | 2/26

Information and specifications are subject to change without notice.
Please confirm at time of order.
Copyright © 2026 InterMetro Industries Corp.

metro.com
North Washington Street, Wilkes-Barre, PA 18705
Product Information. U.S. and Canada: 1.800.992.1776
Outside U.S. and Canada: metro.com/contactus

{58.41} TableWorx® Premium Stainless Steel Tables with Overhead Shelves and Accessories

Work surface Specifications

- Surface consists of 16-gauge stainless steel with a #4 finish.
- Reinforced with 16-gauge hat channels.
- Unique/proprietary fastening technology provides exceptional rigidity, strength, and sound deadening.
- Work surface alloy: type 304 or 316 stainless.
- Lengths 60" and under (1524 mm).
  Surface load rating is 750 lbs. (340 kg) evenly distributed.
- Lengths over 60" (1524 mm).
  Surface load rating is 650 lbs. (295 kg) evenly distributed.
- Work surface features 90-degree turned down edges with radii on all four sides.
- All sizes available with an optional 2" (51 mm) backsplash formed into the stainless work surface.




Available Sizes


Widths	Lengths			
	36" (914 mm)	48" (1219 mm)	60" (1524 mm)	72" (1829 mm)
30" (762 mm)	X	X	X	X
24" (610 mm)	X	X	X	X
36" (914 mm)	X	X	X	X

Work Surface Height Adjustability

- Ergonomics: Perfect seated height or standing height in EVERY TableWorx solution.
- Out of the box TableWorx can be assembled to any one of six working surface heights: 34" (864 mm), 35" (889 mm), 36" (914 mm), 37" (940 mm), 38" (965 mm), and 39" (991 mm).
- Work surface heights are the same across both stationary and mobile solutions (assuming use of 5" stems casters).




6 ADJUSTABLE
Working Heights
34"—39"
(864mm – 991mm)



Under Structure


- Available solutions:
  - > *Solid stainless undershelf*
  - > *Three-sided frame*
  - > *I-frame (H-frame)*
- All-welded, all-stainless steel construction.
- Underframe material: Type 304 stainless steel.
- Understructures can be assembled to varying heights to table legs in 2" (51 mm) increments.
- Multiple shelves of any type can be installed to increase available storage underneath.
- Multiple frames and/or shelves can be installed to increase work table rigidity.




Solid Stainless Bottom Shelf
Base accommodates multiple shelves



3-Sided Frame
To nest equipment or when seated



"I" Frame
Perfect for foot rest or 2-sided access



Metroseal Gray Wire Bottom Shelf*
Base accommodates multiple shelves

* Metroseal wire shelves available in select sizes only.

{58.41} TableWorx® Premium Stainless Steel Tables with Overhead Shelves and Accessories

Table Legs

- Leg Material: 16-gauge type 304 stainless steel or Metroseal Gray epoxy-coated 16-gauge cold-rolled steel.
- Metroseal Gray epoxy finish has built-in Microban® antimicrobial protection. 12-Year corrosion warranty.
- Leg Mount Material: Type 304 stainless steel or reinforced nylon polymer.
- Legs: Outer Diameter: 1-5/8" (41 mm) Lengths: 32" (813 mm) stationary and 27" (686 mm) for mobile.
- Mobile-ready legs can accept any Metro 1" (25 mm) stem caster.
- Mobile legs are designed to accept total locking casters for maximum rigidity on mobile solutions.
- Stationary legs include stainless leveling bullet feet with 1-1/8" (29 mm) range of adjustability.




304 Stainless Steel Post
Shown in stationary with stainless steel leg mount

Metroseal Epoxy Coated Post
Shown in mobile with polymer leg mount


Overhead Riser System

- Installed or removed at anytime during life of worktable
- Wire grid system attached to TableWorx can hold up to 250 lbs. (113 kg)
- Cantilevered shelves are all-welded, heavy-gauge type 304 or 316 alloy polished stainless steel. Load Rating:150 lbs. (68 kg) per shelf or 300 lbs. (136 kg)
- Riser posts Can mount at rear of or in the center of worktable and are all-welded, heavy-gauge type 304 alloy with type 316 stainless base
- 304 stainless grid hanging rail doubles as a bin holder for the entire length of table



2 side attachment locations
Attach in rear or center of table for required application needs

Dimensional Specifications






Table Top Size (in.)	Table Top Size (mm)	A (in.)	A (mm)	B (in.)	B (mm)	C (in.)	C (mm)
24x48	610x1219	37.7	958	20.2	513	11.3	287
30x48	762x1219	37.7	958	24.2	615	14.3	363
30x60	762x1524	49.7	1262	24.2	615	14.3	363
30x72	762x829	61.7	1567	24.2	615	14.3	363
36x48	914x1219	37.7	958	30.2	767	17.25	438
36x60	914x1524	49.7	1262	30.2	767	17.25	438
36x72	914x829	61.7	1567	30.2	767	17.25	438

TableWorx® Complete Kits
Cantilevered Riser



Table with Dual Overhead Stainless Shelves

Stainless 16-gauge welded-top with two solid stainless cantilevered shelves (available in type **304** or type **316** stainless steel) mounted to a rear riser. Provides full-width overhead storage without front posts, keeping the work surface open and accessible. Models available with either a lower 3-sided frame or a solid stainless undershelf. Available in both mobile & stationary.

Table Top Size Width/Length		Solid Stainless Shelf Cat. No. (Top Material 304 Stainless Steel)	Stainless 3-Sided Frame Cat. No. (Top Material 304 Stainless Steel)	Solid Stainless Shelf Cat. No. (Top Material 316 Stainless Steel)	Stainless 3-Sided Frame Cat. No. (Top Material 316 Stainless Steel)
(in.)	(mm)	STATIONARY		STATIONARY	
24x48	610x1219	TWS2448FS-304-S11	TWS2448SU-304-S11	TWS2448FS-316-S12	TWS2448SU-316-S12
30x48	762x1219	TWS3048FS-304-S11	TWS3048SU-304-S11	TWS3048FS-316-S12	TWS3048SU-316-S12
30x60	762x1524	TWS3060FS-304-S11	TWS3060SU-304-S11	TWS3060FS-316-S12	TWS3060SU-316-S12
30x72	762x1829	TWS3072FS-304-S11	TWS3072SU-304-S11	TWS3072FS-316-S12	TWS3072SU-316-S12
(in.)	(mm)	MOBILE WITH CASTERS		MOBILE WITH CASTERS	
24x48	610x1219	TWM2448FS-304-S22	TWM2448SU-304-S22	TWM2448FS-316-S23	TWM2448SU-316-S23
30x48	762x1219	TWM3048FS-304-S22	TWM3048SU-304-S22	TWM3048FS-316-S23	TWM3048SU-316-S23
30x60	762x1524	TWM3060FS-304-S22	TWM3060SU-304-S22	TWM3060FS-316-S23	TWM3060SU-316-S23
30x72	762x1829	TWM3072FS-304-S22	TWM3072SU-304-S22	TWM3072FS-316-S23	TWM3072SU-316-S23

NOTE: All stainless TableWorx work tables are made of type 304 stainless steel. For type 316 models only the worksurface, upper shelves, and riser post bases are type 316 stainless.

Table with Dual Stainless Wire DropMat Shelves

Stainless 16-gauge welded top with two stainless wire cantilevered shelves (available in type **304** stainless steel) mounted to a rear riser. Provides full-width overhead storage without front posts, keeping the work surface open and accessible. Models available with either a lower 3-sided frame or a solid stainless undershelf. Available in both mobile & stationary.



Width/Length		Solid Stainless Shelf Cat. No. (Top Material 304 Stainless Steel)	Stainless 3-Sided Frame Cat. No. (Top Material 304 Stainless Steel)
(in.)	(mm)	STATIONARY	
24x48	610x1219	TWS2448FS-304-S13	TWS2448SU-304-S13
30x48	762x1219	TWS3048FS-304-S13	TWS3048SU-304-S13
30x60	762x1524	TWS3060FS-304-S13	TWS3060SU-304-S13
30x72	762x1829	TWS3072FS-304-S13	TWS3072SU-304-S13
(in.)	(mm)	MOBILE WITH CASTERS	
24x48	610x1219	TWM2448FS-304-S24	TWM2448SU-304-S24
30x48	762x1219	TWM3048FS-304-S24	TWM3048SU-304-S24
30x60	762x1524	TWM3060FS-304-S24	TWM3060SU-304-S24
30x72	762x1829	TWM3072FS-304-S24	TWM3072SU-304-S24

NOTE: All stainless TableWorx work tables are made of type 304 stainless steel.

TableWorx Complete Kits
Cantilevered Riser



Table with Single Overhead Stainless Shelf and Stainless Grid with Grid Accessories

Stainless 16-gauge welded-top with one solid stainless cantilevered shelf (available in type **304** or type **316** stainless steel), accessories shown, and wire grid mounted to a rear riser. Models available with either a lower 3-sided frame or a solid stainless undershelf. Available in both mobile & stationary.

Width / Length		Solid Stainless Shelf Cat. No.	Stainless 3-Sided Frame Cat. No.	Solid Stainless Shelf Cat. No.	Stainless 3-Sided Frame Cat. No.
(in.)	**(mm)**	**STATIONARY**			
24x48	610x1219	**TWS2448FS-304-S17**	**TWS2448SU-304-S17**	**TWS2448FS-316-S33**	**TWS2448SU-316-S33**
30x48	762x1219	**TWS3048FS-304-S17**	**TWS3048SU-304-S17**	**TWS3048FS-316-S33**	**TWS3048SU-316-S33**
30x60	762x1524	**TWS3060FS-304-S17**	**TWS3060SU-304-S17**	**TWS3060FS-316-S33**	**TWS3060SU-316-S33**
30x72	762x1829	**TWS3072FS-304-S17**	**TWS3072SU-304-S17**	**TWS3072FS-316-S33**	**TWS3072SU-316-S33**
(in.)	**(mm)**	**MOBILE WITH CASTERS**			
24x48	610x1219	**TWM2448FS-304-S28**	**TWM2448SU-304-S28**	**TWM2448FS-316-S34**	**TWM2448SU-316-S34**
30x48	762x1219	**TWM3048FS-304-S28**	**TWM3048SU-304-S28**	**TWM3048FS-316-S34**	**TWM3048SU-316-S34**
30x60	762x1524	**TWM3060FS-304-S28**	**TWM3060SU-304-S28**	**TWM3060FS-316-S34**	**TWM3060SU-316-S34**
30x72	762x1829	**TWM3072FS-304-S28**	**TWM3072SU-304-S28**	**TWM3072FS-316-S34**	**TWM3072SU-316-S34**

NOTE: All stainless TableWorx work tables are made of type 304 stainless steel. For type 316 models only the worksurface, upper shelves, and riser post bases are type 316 stainless.

Grid Accessories

Cat. No.	48" length Qty.	60" length Qty.	72" length Qty.
GSSR1224	1	2	3
HK23C	2	4	6
HK25C	2	4	6
SR24S	1	1	1
H210S	1	1	1
MB30220CLSH	1	2	3

Wire grid system attached to TableWorx can hold up to 250 lbs. (113 kg)

TableWorx Complete Kits
Cantilevered Riser



Center Mount Stainless Grid and Shelf + Grid Accessories

Stainless 16-gauge welded-top with one solid stainless cantilevered shelf mounted at the center of the table (available in type **304** or type **316** stainless steel), accessories shown, and wire grid mounted to a riser. The center-mounted design creates two distinct work zones, with overhead storage accessible from both sides. Models available with either a lower I-Frame or a solid stainless undershelf. Available in both mobile & stationary.

Width / Length		304 Solid Stainless Shelf Cat. No.	304 Stainless I-Frame Cat. No.	316 Solid Stainless Shelf Cat. No.	316 Stainless I-Frame Cat. No.
(in.)	**(mm)**	**STATIONARY**		**STATIONARY**	
36x48	914x1219	**TWS3648FS-304-S21**	**TWS3648SI-304-S21**	**TWS3648FS-316-S35**	**TWS3648SI-316-S35**
36x60	914x1524	**TWS3660FS-304-S21**	**TWS3660SI-304-S21**	**TWS3660FS-316-S35**	**TWS3660SI-316-S35**
36x72	914x1829	**TWS3672FS-304-S21**	**TWS3672SI-304-S21**	**TWS3672FS-304-S35**	**TWS3672SI-316-S35**
(in.)	**(mm)**	**MOBILE WITH CASTERS**		**MOBILE WITH CASTERS**	
36x48	914x1219	**TWM3648FS-304-S32**	**TWM3648SI-304-S32**	**TWM3648FS-316-S36**	**TWM3648SI-316-S36**
36x60	914x1524	**TWM3660FS-304-S32**	**TWM3660SI-304-S32**	**TWM3660FS-316-S36**	**TWM3660SI-316-S36**
36x72	914x1829	**TWM3672FS-304-S32**	**TWM3672SI-304-S32**	**TWM3672FS-316-S36ww**	**TWM3672SI-316-S36**

NOTE: All stainless TableWorx work tables are made of type 304 stainless steel. For type 316 models only the worksurface, upper shelves, and riser post bases are type 316 stainless.

Grid Accessories

Cat. No.	48" length Qty.	60" length Qty.	72" length Qty.
GSSR1224	**2**	**3**	**4**
HK25C	**4**	**8**	**12**
HK23C	**4**	**8**	**12**
SR24S	**2**	**2**	**2**
H210S	**2**	**2**	**2**
MB30220CLSH	**1**	**2**	**3**

Wire grid system attached to TableWorx can hold up to 250 lbs. (113 kg)

TableWorx Complete Kits
Cantilevered Riser





Table with Dual Center Cantilevered Solid Stainless Shelves

Stainless 16-gauge welded-top with two solid stainless cantilevered shelves mounted at the center of the table (available in type **304** or type **316** stainless steel). The center-mounted design creates two distinct work zones, with overhead storage accessible from both sides. Models available with either a lower I-Frame or a solid stainless undershelf. Available in both mobile & stationary.

Table Top Size Width/Length		Solid Stainless Shelf Cat. No. (304)	Stainless I-Frame Cat. No. (304)	Solid Stainless Shelf Cat. No. (316)	Stainless I-Frame Cat. No. (316)
(in.)	**(mm)**	**STATIONARY**			
36x48	914x1219	**TWS3648FS-304-S14**	**TWS3648SI-304-S14**	**TWS3648FS-316-S15**	**TWS3648SI-316-S15**
36x60	914x1524	**TWS3660FS-304-S14**	**TWS3660SI-304-S14**	**TWS3660FS-316-S15**	**TWS3660SI-316-S15**
36x72	914x1829	**TWS3672FS-304-S14**	**TWS3672SI-304-S14**	**TWS3672FS-316-S15**	**TWS3672SI-316-S15**
(in.)	**(mm)**	**MOBILE WITH CASTERS**			
36x48	914x1219	**TWM3648FS-304-S25**	**TWM3648SI-304-S25**	**TWM3648FS-316-S26**	**TWM3648SI-316-S26**
36x60	914x1524	**TWM3660FS-304-S25**	**TWM3660SI-304-S25**	**TWM3660FS-316-S26**	**TWM3660SI-316-S26**
36x72	914x1829	**TWM3672FS-304-S25**	**TWM3672SI-304-S25**	**TWM3672FS-316-S26**	**TWM3672SI-316-S26**

NOTE: All stainless TableWorx work tables are made of type 304 stainless steel. For type 316 models only the worksurface, upper shelves, and riser post bases are type 316 stainless.

TableWorx Complete Kits
4-Post Riser



Dual Overhead Wire Shelves with Bins

Type 304 stainless 16-gauge top with two Metroseal Gray wire shelves mounted on a 4-post riser system. Includes integrated hooks and under-mounted bins for accessible storage and custom organization above and below the work surface. Table consists of an all-welded **type 304** stainless steel work surface **Metroseal Gray** epoxy coated posts/legs, upper and lower wire shelves with polymer leg mounts. Available in both mobile & stationary.

Table Top Size Width/Length (in.)	(mm)	Metroseal Gray Wire Shelf Cat. No.	Number of Bins
STATIONARY			
30x48	762x1219	TWS3048K4-304-K50	2
30x60	762x1524	TWS3060K4-304-K50	4
30x72	762x1829	TWS3072K4-304-K50	4
MOBILE WITH CASTERS			
30x48	762x1219	TWM3048K4-304-K51	2
30x60	762x1524	TWM3060K4-304-K51	4
30x72	762x1829	TWM3072K4-304-K51	4



Dual Overhead SES Shelves, Grid and Grid Accessories with Bins

Type 304 stainless 16-gauge top with two Metroseal Gray wire shelves mounted on a 4-post riser system. Includes integrated grid, accessories, hooks and under-mounted bins for accessible storage and custom organization above and below the work surface. Table consists of an all-welded **type 304** stainless steel work surface **Metroseal Gray** epoxy coated posts/legs, upper and lower wire shelves, accessories, and grid with polymer leg mounts. Available in both mobile & stationary.

Table Top Size Width/Length (in.)	(mm)	Metroseal Gray Wire Shelf Cat. No.
STATIONARY		
30x48	762x1219	TWS3048K4-304-K52
30x60	762x1524	TWS3060K4-304-K52
30x72	762x1829	TWS3072K4-304-K52
MOBILE WITH CASTERS		
30x48	762x1219	TWM3048K4-304-K53
30x60	762x1524	TWM3060K4-304-K53
30x72	762x1829	TWM3072K4-304-K53

SmartWall Accessories

Cat. No.	48" length Qty.	60" length Qty.	72" length Qty.
MB30235CLSH	2	4	4
HK23C	2	3	4
HK25C	2	3	4
H210K4	1	1	2
SR24K4	1	1	2
PGHK6K4	2	3	4

Wire grid system attached to TableWorx can hold up to 250 lbs. (113 kg)

TableWorx Complete Kits
4-Post Riser



36" Deep TableWorx with Single Overhead Shelf and Side Mount Grids

Type 304 stainless 16-gauge top with one Metroseal Gray wire shelves mounted on a 4-post riser system. Includes integrated grids with EZ-ADD clips, accessories (cutting board holder, knife holder, and hooks) for custom organization above and below the work surface. Table consists of an all-welded **type 304** stainless steel work surface **Metroseal Gray** epoxy coated posts/legs, upper and lower wire shelves, and grids with polymer leg mounts. Available in both mobile & stationary.

Table Top Size Width/Length		Metroseal Gray Wire Shelf Cat. No.	Stainless Steel 3-Sided Frame Cat. No.	With Backsplash Metroseal Gray Wire Shelf Cat. No.	With Backsplash Stainless Steel 3-Sided Frame Cat. No.
(in.)	(mm)	STATIONARY			
36x48	914x1219	TWS3648K4-304-K54	TWS3648SU-304-K54	TWS3648K4-304B-K54	TWS3648SU-304B-K54
36x60	914x1524	TWS3660K4-304-K54	TWS3660SU-304-K54	TWS3660K4-304B-K54	TWS3660SU-304B-K54
36x72	914x1829	TWS3672K4-304-K54	TWS3672SU-304-K54	TWS3672K4-304B-K54	TWS3672SU-304B-K54
(in.)	(mm)	MOBILE WITH CASTERS			
36x48	914x1219	TWM3648K4-304-K55	TWM3648SU-304-K55	TWM3648K4-304B-K55	TWM3648SU-304B-K55
36x60	914x1524	TWM3660K4-304-K55	TWM3660SU-304-K55	TWM3660K4-304B-K55	TWM3660SU-304B-K55
36x72	914x1829	TWM3672K4-304-K55	TWM3672SU-304-K55	TWM3672K4-304B-K55	TWM3672SU-304B-K55

SmartWall Accessories

All Lengths

Cat. No.	Qty.
TWBOARDHOLD	1
TWKNIFE	1
HK23C	2
HK25C	2
PGHK6K4	2

Perfect for nesting or accomodating equipment.



Stainless Steel Drawers

- Fully fabricated 304 stainless steel *no-flex* construction *(No pan drop-in required).*
- **Dimensions:**
  Exterior 19.5"D (495 mm) x 20.5"W (521 mm) x 7"H (178 mm)
  Interior 18"D (457 mm) x 18.75"W (476 mm) x 5.5"H (140 mm)
- Fully removable drawer with 35 lbs. load capacity per drawer.
- Stackable up to 3 high.
- NSF listed heavy-duty ball bearing slides.
- Drawer face remains flush with work surface edge regardless of the table depth.
- Multiple mounting locations: Right, Center, Left *(Depending on table length)*; **Drawers can be both front-facing and rear-facing** if mounted on the same table.*

*Note: Cannot be mounted back to back.

Drawer Stack




Primary Drawer

Fits Table Depth (in.)	Fits Table Depth (mm)	Drawer Cat. No.
24	610	**TWDR6-24**
30	762	**TWDR6-30**
36	914	**TWDR6-36**

Add-A-Drawer

Table Length (in.)	Table Length (mm)	Solid Stainless Shelf Cat. No.
ALL		**TWDR6-ADD**


Drawer Locations




36"
Allows 1 drawer stack in one location only.



48"
Allows 1 drawer stack in right, center or left.



60" / 72"
Allows 2 drawer stacks right and left or one drawer stack in center.




96"
Allows 3 drawer stacks right, left and center.



Shown on a 30" x 60" table with (2) drawer locations.

Bin Hangers


- Fixture that allows attachment of any Metro bin to the underside of the table.
- Alternative to a drawer.
- Bins are easily removeable for cleaning.
- Mounts, configures, and takes up the same footprint as the drawer above.
- Two MB30235CLSH will fill out each TW-BINHANG solution, but any Metro hanging bin can attach.




Shown on a 30" x 60" Table with (2) bins, side by side.

Bin Locations


36"
Allows (1) 2-bin hanger




48"
Allows (1) 2-bin hanger



60" / 72"
Allows up to (2) 2-bin hanger




96"
Allows up to (3) 2-bin hanger





MB30235CLSH

Accessories



Common Grid Accessories



Small Hook

HK23C (Chrome)




Large Hook

HK25C (Chrome)



Large 5" Deep Basket

H210K4 (Gray)
H210S (Stainless)




Reversible Solid Shelf
GSSR1224 (Stainless)




Utility Shelf

SR24K4 (Gray)
SR24S (Stainless)



Bin Holder (Stainless)

TBA-SBHS Single 3" (76 mm)
PBA-1BHS Small 11" (280 mm)



Cutting Board Holder (Board not included)

TWBOARDHOLD



Knife Holder


TWKNIFE

Visit **metro.com** for the full line of grid accessories.

Retrofit & Replacement Components

Accessory Grid

All-welded, heavy-gauge type 304 alloy or Metroseal Gray epoxy-coated wire



Grid Size (in.)	(mm)	Cat. No.	Cat. No.
36	914	**WG2436K4**	**WG2436S**
48	1219	**WG2448K4**	**WG2448S**
60	1524	**WG2460K4**	**WG2460S**

Note: For grids on a 72" work table order (2) 36" grids; for 96" solutions order (2) 48" grids. Wire grid system attached to TableWorx can hold up to 250 lbs. (113 kg)

Grid and Bin Hanger Rail Pairs



Grid & Bin Rail (in.)	(mm)	Cat. No.
36	914	**TWOR36S**
48	1219	**TWOR48S**
60	1524	**TWOR60S**
72	1828	**TWOR72S**
96	2438	**TWOR96S**

Note: To order an individual rail, place a **-1** suffix to the part number. Ex. TWOR36S**-1**

Riser Post

All-welded, heavy-gauge type 304 alloy with type 316 stainless base


Model # **TWARC-SST**



Cantilevered Shelves

All-welded, heavy-gauge type 304 or 316 alloy polished stainless steel. Load Rating:150 lbs. (68 kg) per shelf or 300 lbs. (136 kg)








Table Length (in.)	(mm)	Rear Cantilevered Solid Stainless Shelves Cat. No.	Rear Cantilevered Solid Stainless Shelves Cat. No.	Center Cantilevered Solid Stainless Shelves Cat. No.	Center Cantilevered Solid Stainless Shelves Cat. No.	Rear Cantilevered Stainless Wire Dropmat Cat. No.
36	914	**TW1236CRS-304**	**TW1236CRS-316**	**TW1236CCS-304**	**TW1236CCS-316**	**TW1236CWS-SS**
48	1219	**TW1248CRS-304**	**TW1248CRS-316**	**TW1248CCS-304**	**TW1248CCS-316**	**TW1248CWS-SS**
60	1524	**TW1260CRS-304**	**TW1260CRS-316**	**TW1260CCS-304**	**TW1260CCS-316**	**TW1260CWS-SS**
72	1828	**TW1272CRS-304**	**TW1272CRS-316**	**TW1272CCS-304**	**TW1272CCS-316**	**TW1272CWS-SS**

{58.41}

TableWorx® Premium Stainless Steel Tables with Overhead Shelves and Accessories

Retrofit & Replacement Components

4-Post Shelving & Grid Attachment Kit

4-Post mounting system kit allows a standard TableWorx® to accomodate overhead shelves and grid system. Available in 14" or 18" depths. Moves easily for cleanability. Can be set for rear or center mounting.



Cat. No.	Description
TW4POST-14	14" (356mm) 4-Post Riser Kit with Shelf Attachment
TW4POST-18	18" (457mm) 4-Post Riser Kit with Shelf Attachment

NOTE: Does not include posts (requires use of 33" stainless posts or shorter with anti mar pads)

Accessory Grid & EZ-ADD Mounting Clips


Further utilize vertical space with EZ-ADD. Easily add clips to table legs to attach an accessory grid to any 30" or 36"deep TableWorx® work table. Grid accomodates any Metro® SmartWall® accessory.

Cat. No.	Description
TWPOSTWGK4-24	24" (610mm) wire accessory grid Metroseal Gray epoxy
TWPOSTWGK4-30	30" (762mm) wire accessory grid Metroseal Gray epoxy
TWPOSTWGK4-36	36" (914mm) wire accessory grid Metroseal Gray epoxy
TWEZADD	EZ-ADD post mounting clips (Set of 4)

NOTE: Grids do not come with EZ-ADD clips. Clips must be ordered in addition.



TWEZADD



TWPOSTWGK4-36

Mount grids easily to the table posts with **EZ-ADD** clips.



Hanger Rail

Wire hanger rail is used to mount accessory grids.

Cat. No.	Description
H118K4	18" (457mm) wire hanger rail, Metroseal Gray epoxy
H148K4	48" (914mm) wire hanger rail, Metroseal Gray epoxy
H160K4	60" (1524mm) wire hanger rail, Metroseal Gray epoxy
H172K4	72" (1829mm) wire hanger rail, Metroseal Gray epoxy

