Cooking Performance Group S60-GS24-L Liquid Propane 6 Burner 60" Range with 24" Griddle/Broiler and 2 Standard Ovens - 276,000 BTU









Certifications







| tem #: | 351S60GS24L | Qty: | |
|----------|-------------|----------|--|
| Project: | | | |
| Approva | ıl: | Date: | |

Features

- (6) 30,000 BTU open top burners with cast iron lift-off grates for easy cleaning
- 24" x 21 3/8", 3/4" thick manual steel griddle/broiler with (3) 12,000 BTU burners
- Rugged stainless steel front and aluminum sides; porcelainized oven bottom
- 9 1/2" deep back shelf and 4 1/2" plate rail for added storage and safety
- Requires a liquid propane connection

Technical Data

| Width | 60 Inches |
|---------------------|---------------|
| Depth | 32 5/8 Inches |
| Height | 60 3/8 Inches |
| Broiler Width | 20 Inches |
| Griddle Width | 24 Inches |
| Nominal Width | 60 Inches |
| Oven Interior Width | 26 1/2 Inches |
| Broiler Depth | 21 1/8 Inches |
| Oven Interior Depth | 25 7/8 Inches |
| Broiler Height | 6 1/4 Inches |


Cooking Performance Group S60-GS24-L Liquid Propane 6 Burner 60" Range with 24" Griddle/Broiler and 2 Standard Ovens - 276,000 BTU



Technical Data

| Oven Interior Height | 13 7/8 Inches | |
|----------------------|--|--|
| Burner BTU | 30000 BTU | |
| Control Type | Manual | |
| Features | Broiler Massachusetts Accepted Plumbing Product | |
| Gas Connection Size | 3/4 Inches | |
| Griddle BTU | 36000 BTU | |
| Installation Type | Freestanding | |
| Number of Burners | 6 Burners | |
| Number of Ovens | 2 Ovens | |
| Number of Racks | 4 Racks | |
| Oven BTU | 30000 BTU | |
| Plate Thickness | 3/4 Inch | |
| Power Type | Liquid Propane | |
| Range Base Style | Standard Oven | |
| Temperature Range | 250 - 550 Degrees F | |
| Top Configuration | Open Burners with Right Griddle | |
| Total BTU | 276000 BTU | |

Plan View



Cooking Performance Group S60-GS24-L Liquid Propane 6 Burner 60" Range with 24" Griddle/Broiler and 2 Standard Ovens - 276,000 BTU



Notes & Details

Boost your kitchen's efficiency, reliability, and overall performance with this Cooking Performance Group S60-GS24-L gas range! This liquid propane range boasts (6) 30,000 BTU open top burners to deliver the impressive cooking performance you demand. The independently-controlled burners mean you can simultaneously execute a wide variety of tasks while their 12" x 12" heavy-duty cast iron grates support your sauce pans, fry pans, and other cookware. These rugged grates allow you to confidently boil, saute, and simmer as needed while effortlessly sliding even the heaviest stock pots from one burner to another. Backed by (3) 12,000 BTU burners, this range's 24" x 21 3/4" steel griddle gives you plenty of space to grill hamburgers, chicken, fish, or even bacon and eggs! A 4 1/2" plate rail gives you a bit of extra room to work with and combines with a 9 1/2" deep back shelf that holds go-to seasonings and supplies to maximize your cooktop efficiency.

Two 30,000 BTU standard ovens make this unit even more versatile by giving you a convenient way to warm your delicious foods or even do a bit of baking for your dessert menu! The ovens' temperature can be adjusted from 250-550 degrees Fahrenheit to accommodate virtually any recipe. With 2 chrome plated racks that can be used in 4 different positions within each cavity, you can easily arrange the ovens to best complement your specific needs. Once your food is just about done, this range also has a broiler built in just beneath the griddle so that you can apply your finishing touches!

This 60" range features a rugged stainless steel front and durable aluminum sides that are not only designed to provide you with years of trouble-free performance, but are also extremely simple to clean! The cast iron grates lift off for a simple, thorough cleansing while the deep pull-out crumb tray further expedites end-of-day cleanup. And, thanks to the porcelainized bottom, maintaining a spotless oven is easier than ever. 6" adjustable stainless steel legs ensure that your unit is level and allows you to easily clean underneath for a safe and sanitary kitchen. A liquid propane gas connection is required for operation.

MARNING: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.